COFC

TRANSMITTA	L
FORM	

Patent No. 7,248,233 Application Number 10/701,151 Issue Date: July 24, 2007 Filing Date November 4, 2003 First Named Inventor Jean-Michel Moreau Art Unit 2629 Examiner Name R. A. Hjerpe Attorney Docket Number

(to be used for all correspondence after initial filing) Total Number of Pages in This Submission S1022.81097US00 ENCLOSURES (Check all that apply)

ENGLOGOTILO (Oneck an anatappry)				
Fee Transn	nittal Form	Drawing(s)		After Allowance Communication to TC
Fee A	Attached	Licensing-related Papers		Appeal Communication to Board of Appeals and Interferences
Amendmen	nt/Reply	Petition		Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)
After	Final	Petition to Convert to a Provisional Application		Proprietary Information
Affida	avits/declaration(s)	Power of Attorney, Revocat Change of Correspondence		Status Letter
X Request for	r Certificate of Correction	Terminal Disclaimer		X Other Enclosure(s) (please Identify below):
X Certificate	of Correction	Request for Refund		Return Receipt Postcard
X Title Page and Col. 4 of 7,248,233		CD, Number of CD(s)		. ato
X Copy of Declaration and Power of Attorney Landscape Table on CD		Certificate AUG 0 1 2007 Of Correction		
X Copy of Pages 1 and 2 of European Remarks AUI		AUG O Laction		
Reply to Missing Parts under 37 CFR 1.52 or 1.53		Of Course		
SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT				
Firm Name WOLF, GREENFIELD & SACKS, P.C.				
Signature				
Printed name	Jardes H. Morris			
Date	Jaly 27, 2007		Reg. No.	34,681

-		
	I hereby certify that this paper (along with any paper referred	te of Mailing Under 37 CFR 1.8(a) It to as being attached or enclosed) is being deposited with the U.S. Postal Service on Mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450,
l	Alexandria, VA 22313-1450.	wall, in an envelope addressed to. Commissioner for Patents, P.O. Box 1450,
	Dated: July 27, 2007	Signature: Mail Dis cace (Gail Driscoll)



TRANSMITTAL FORM

Application Number 10/701,151 Patent No. 7,248,233

Filing Date November 4, 2003 Issue Date: July 24, 2007

First Named Inventor Jean-Michel Moreau

Art Unit 2629

Examiner Name R. A. Hjerpe

Attorney Docket Number S1022.81097US00

(to be used for all correspondence after initial filing)

Total Number of Pages in This Submission

ENCLOSURES (Check all that apply)			
Fee Transmittal Form	Drawing(s)		After Allowance Communication to TC
Fee Attached	Licensing-related Papers		Appeal Communication to Board of Appeals and Interferences
Amendment/Reply	Petition		Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)
After Final .	Petition to Convert to a Provisional Application		Proprietary Information
Affidavits/declaration(s)	Power of Attorney, Revocation Change of Correspondence Addre	ress	Status Letter
X Request for Certificate of Correction	Terminal Disclaimer		X Other Enclosure(s) (please Identify below):
X Certificate of Correction	Request for Refund		Return Receipt Postcard
X Title Page and Col. 4 of 7,248,233 CD, Number of CD(s)			
X Copy of Declaration and Power of Landscape Table on CD			
X Copy of Pages 1 and 2 of European Patent No. 0330045.6 Remarks			
Reply to Missing Parts under 37 CFR 1.52 or 1.53			
SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT			
WOLF, GREENFIELD & SACKS, P.C.			
Signature			
Printed name Janues H. Morris			
Date July 27, 2007	Reg.	. No.	34,681

Certificate of Mailing Under 37 CFR 1.8(a)

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the U.S. Postal Service on the date shown below with sufficient postage as First Class Mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Dated: July 27, 2007

Signature: Cail Dis ance (Gail Driscol



Docket No.: S1022.81097US00

(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Jean-Michel Moreau

Serial No.:

10/701,151

Confirmation No.:

5508

Filed:

November 4, 2003

Patent No.:

7,248,233

For:

CONTROL CIRCUIT AND PROCESS FOR A CATHODE RAY

TUBE DISPLAY CONTROL APPARATUS

Examiner:

R. A. Hjerpe

Art Unit:

2629

Certificate of Mailing Under 37 CFR 1.8(a)

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the U.S. Postal Service on the date shown below with sufficient postage as First Class Mail, in an envelope addressed to: Attention: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Dated: July 27, 2007

REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 CFR 1.322

Attention: Certificate of Correction Branch Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted typographical errors which should be corrected.

In the Specification:

On the title page, item (30), foreign application priority data should show the European priority date as July 1, 2003.

In column 4, line 48 the reference indicator for time should be "t0" not "to" as shown in issued U.S. Patent No. 7,248,233. Therefore, column 4, line 48 should read as shown below.

--At a time t0, voltage V66 follows a step increase ΔV --

Patent No.: 7,248,233 2 Docket No.: S1022.81097US00

In support of this request Patentee encloses herewith highlighted copies of: page 6 of the application as filed, declaration and power of attorney, pages 1 and 2 of European 03300045.6, title page and column 4 of U.S. Patent No. 7,248,233.

No check is enclosed however, if the Examiner deems a fee necessary, the fee may be charged to the account of the undersigned, Deposit Account No. 23/2825.

Transmitted herewith is a proposed Certificate of Correction effecting such amendment. Patentee respectfully solicits the granting of the requested Certificate of Correction.

Dated: July 27, 2007

Respectfully submitted,

Lames H. Morris

Registration No.: 34,681

WOLF, GREENFIELD & SACKS, P.C.

Federal Reserve Plaza 600 Atlantic Avenue

Boston, Massachusetts 02210-2206

(617) 646-8000

10

15

20

25

30

The successive display of a dark zone and a bright zone on the screen corresponds to a step increase of the cathode current supplied to cathode 6, which corresponds to a step increase ΔV of the voltage across resistor 66. In response to the step increase ΔV , filter 62 delivers a filtered compensation voltage $Vf = \Delta V.e(-t/RC)$, which after integration gives a correction voltage Vcor proportional to $\Delta V.RC.(1-e(-t/RC))$. The inventor has shown that such a correction voltage, added to the usual control voltage provided by the feedback block, compensates the step increase of the cathode current. A reciprocal correction is caused when a dark zone is displayed after a bright zone on the screen.

FIG. 3 illustrates exemplary variations of voltage V66 across resistor 66, and of the corresponding voltage Vc supplied by buffer 70, filtered voltage Vf and correction voltage Vcor, during an exemplary operation of the display of FIG. 2. The shape of the curves is only intended to be illustrative.

Initially, voltage V66 corresponds to the display of a dark picture and remains at a low value, while comprising voltage peaks shorter than the display time of a small number of lines. The variations of voltage Vc corresponds to the variations of current Icat, smoothed by filter 66, 68. As long as Vc is constant, Vf remains null. The variations of voltage Vc, slow, are suppressed by filter 62 and voltage Vf is constant. Correction voltage Vcor is constant.

At a time t0, voltage V66 follows a step increase ΔV corresponding to the display of a plurality of bright lines. Since the step increase lasts longer than a small number of lines, voltage Vc follows a same step increase ΔV . The influence of filter 66, 68 is hardly visible at this scale. As described above, in response to step increase ΔV of voltage Vc, filter 62 delivers filtered voltage $Vf = \Delta V.e(-t/RC)$ and integrator 48 delivers, in addition to the usual control voltage provided by the feedback block, the correction voltage Vcor proportional to $\Delta V.RC.(1-e(-t/RC))$.

At a time t1 is illustrated a reciprocal correction corresponding to a step reduction of voltage V66, when a dark zone is displayed above a bright zone.

Due to the control circuit according to the invention, the transformer delivers to the horizontal deviation yoke of the display a substantially constant power through its

Declaration and Power of Attorney for Patent Application

Déclaration et Pouvoirs pour Demande de Brevet

French Language Declaration

bit 4116 que l'inventeur nommé ci-après, je déclare par le présent acte que:

As a below named inventor, I hereby declare that:

Mon domicile, mon adresse postale, et ma nationalité sont ceux figurant ci-dessous à côté de mon nom.

Je crois être le premier inventeur original et unique (si un seul nom est mentionné ci-dessous), ou l'un des premiers coinventeurs originaux (si plusieurs noms sont mentionnés cidessous) de l'objet revendiqué, pour lequel une demande de brevet a été déposée concernant l'invention intitulée:

et dont la description est fournie ci-joint à moins que la case suivante n'ait été cochée:

- a été déposée le sous le numéro de demande des Etats-Unis ou le numéro de demande international PCT
- les specifications portant le dossier de l'avocat numero _______ et modifiée le ______

(le cas échéant).

Je déclare par le présent acte avoir passé en revue et compris le contenu de la description ci-dessus, revendications comprises, telles que modifiées par toute modification dont il aura été fait référence ci-dessus.

Je reconnais devoir divulguer toute information pertinente à la brevetabilité, comme défini dans le Titre 37, §1.56 du Code fédéral des réglementations.

My residence, post office address and citizenship are as stated next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

CONTROL CIRCUIT AND PROCESS FOR A CATHODE RAY TUBE DISPLAY CONTROL APPARATUS

the specification of which is attached hereto unless one of the following boxes is checked:

- was filed on November 4, 2003 as United States Application Number 10/701,151
- the specification of which bears attorney docket No.S1022.81097US00

and was amended on ______(if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

Page 1 of 3

PTO/SB/105(Rev. 5-95) OMB 0651-0032

AUG 2 2007

French Language Declaration

Je revendique par le présent acte avoir la priorité étrangère, en vertu du Titre 35, §119(a)-(d) ou § 365(b) du Code des Etats-Unis, sur toute demande étrangère de brevet ou certificat d'inventeur ou, en vertu du Titre 35, § 365(a) du même Code, sur toute demande internationale PCT désignant au moins un pays autre que les Etats-Unis et figurant ci-dessous et, en cochant la case, j'ai aussi indiqué ci-dessous toute demande étrangère de brevet, tout certificat d'inventeur ou toute demande internationale PCT ayant une date de dépôt précédant celle de la demande à propos de laquelle une priorité est revendiquée.

03300045.6	Europe
(Number)	(Country)
(Numéro)	(Pays)
(Number)	(Country)
(Numéro)	(Pays)

Je revendique par le présent acte tout bénéfice, en vertu du Titre 35 §119(e) du Code des Etats-Unis, de toute demande de brevet provisoire effectuée aux Etats-Unis et figurant ci-dessous.

(Application No.) (No de demande)	(Filing Date) (Date de dépôt)
(Application No.)	(Filing Date)
(N° de demande)	(Date de dépôt)

Je revendique par le présent acte, le bénéfice, en vertu du Titre 35 § 120 du Code des Etats-Unis, de toute demande de brevet effectuée aux Etats-Unis, ou en vertu du Titre 35, § 365(c) du même Code, de toute demande internationale PCT désignant les Etats-Unis et figurant ci-dessous et, dans la mesure où l'objet de chacune des revendications de cette demande de brevet n'est pas divulgué dans la demande antérieure américaine ou internationale PCT, en vertu des dispositions du premier paragraphe du Titre 35, § 112 du Code des Etats-Unis, je reconnais devoir divulguer toute information pertinente à la brevetabilité, comme défini dans le Titre 37, § 1.56 du Code Fédéral des réglementations, dont j'ai pu disposer entre la date de dépôt de la demande antérieure et la date de dépôt de la demande nationale ou internationale PCT de la présente demande:

(Application No.)	(Filing Date)
(N° de Demande)	(Date de Dépôt)
(Application No.)	(Filing Date)
(N° de Demande)	(Date de Dépôt)

Je déclare par le présent acte que toute déclaration ci-incluse est, à ma connaissance, véridique et que toute déclaration formulée à partir de renseignements ou de suppositions est tenue pour véridique; et de plus, que toutes ces déclarations ont été formulées en sachant que toute fausse déclaration volontaire ou son équivalent est passible d'une amende ou d'une incarcération, ou des deux, en vertu de la Section 1001 du Titre 18 du Code des Etats-Unis, et que de telles déclarations volontairement fausses risquent de compromettre la validité de la demande de brevet ou du brevet délivré à partir de celle-ci.

I hereby claim foreign priority under Title 35, United States Code, §119(a)-(d) or § 365(b) of any foreign applications(s) for patent or inventor's certificate, or § 365(a) of any PCT International application which designated at least one country other than the United States, listed below, and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed:

Droit de pr	Priority not claimed riorité non revendiqué
1 July 2003	
(Day/Month/Year Filed)	,
(Jour/Mois/Année de dépôt)	
(Day/Month/Year Filed)	
(Jour/Mois/Année de dépôt)	
	•

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below.

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) or § 365(c) of any PCT international application(s) designating the United States; listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

(Status)(Patented, pending abandoned) (Statut)(breveté, en cours d'examen, abandonné)

(Status)(Patented, pending abandoned) (Statut)(breveté, en cours d'examen, abandonné)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

French Language Declaration

POUVOIR: En tant que l'inventeur cité, je désigne par la présente l'(les) avocat(s) et/ou agent(s) suivant(s) pour qu''il(s) poursuive(nt) la procédure de cette demande de brevet et traite(nt) toute affaire s'y rapportant avec l'Office des brevets et des marques comme defini par le numéro d'enregistrement du cabinet.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith as defined by Customer Number

12	610
43	628

et les avocats et/ou agents suivants:

and the Practitioners named below:

Lisa K. Jorgenson, Reg. No. 34,845 Mario J. Donato, Jr, Reg. No.. 37,816 Nainesh Shah, Reg. No. 40,166

Adresser toute correspondance à:

Address correspondence to:

James H. Morris Wolf, Greenfield & Sacks, P.C, Federal Reserve Plaza 600 Atlantic Avenue, Boston, MA 02210-2211(USA)

Adresser tout appel téléphonique à: (Nom et numéro de téléphone)

Direct Telephone Calls to: (name and telephone number)

James H. Morris (617) 720-3500

Nom complet de l'unique ou premier inventeur	Full name of sole or first inventor Jean-Michel MOREAU
Signature de l'inventeur Date	Jean Midel Moroan 2002
Domicile	Residence 2, Rue Louis Vidal, G38100 Grenoble, France
Nationalité	Citizenship French
Adresse Postale	Post Office Address 2, Rue Louis Vidal, G38100 Grenoble, France
Nom complet du second co-inventeur, le cas échéant	Full name of second or joint inventor
Signature de l'inventeur Date	Inventor's signature Date
Domicile	Residence
Nationalité	Citizenship
Adresse Postale	Post Office Address
(Fournir les mêmes renseignements et la signature de tout co-inventeur supplémentaire.)	(Supply similar information and signature for third and sub-sequent joint inventors.)

Page 3 of 3



Europäisches **Patentamt**

European **Patent Office** Office européen des brevets

Bescheinigung

Certificate

Attestation

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.

The attached documents are exact copies of the European patent application conformes à la version described on the following page, as originally filed.

Les documents fixés à cette attestation sont initialement déposée de la demande de brevet européen spécifiée à la page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet nº

03300045.6

Der Präsident des Europäischen Patentamts: Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets p.o.

R C van Dijk



Anmeldung Nr:

Application no.: 03300045.6

Demande no:

Anmeldetag:

Date of filing: 01.07.03

Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

ST MICROELECTRONICS S.A. 29 Boulevard Romain Rolland 92120 Montrouge FRANCE

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention: (Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung. If no title is shown please refer to the description. Si aucun titre n'est indiqué se referer à la description.)

CONTROL CIRCUIT AND PROCESS FOR A CATHODE RAY TUBE DISPLAY CONTROL APPARATUS

In Anspruch genommene Prioriät(en) / Priority(ies) claimed /Priorité(s) revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/Classification internationale des brevets:

G09G/

Am Anmeldetag benannte Vertragstaaten/Contracting states designated at date of filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL PT RO SE SI SK TR LI



(12) United States Patent

Moreau

(10) Patent No.: US 7,248,233 B2 (45) Date of Patent:

Jul. 24, 2007

(54) CONTROL CIRCUIT AND PROCESS FOR A CATHODE RAY TUBE DISPLAY CONTROL APPARATUS

(75) Inventor: Jean-Michel Moreau, Grenoble (FR)

Assignee: STMicroelectronics S.A., Montrouge

(FR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 626 days.

Appl. No.: 10/701,151

(22)Filed: Nov. 4, 2003

(65)**Prior Publication Data**

> US 2004/0130275 A1 Jul. 8, 2004

(30)Foreign Application Priority Data

Jul. 1, 1999 (EP) 03300045

(51) Int. Cl. G09G 1/06 (2006.01)

U.S. Cl. 345/11; 345/12; 345/13

(58) Field of Classification Search 345/10, 345/11, 12, 13, 14, 29

See application file for complete search history.

(56)References Cited

U.S. PATENT DOCUMENTS

5,717,296 A * 2/1998 Onozawa et al. 315/371 6,573,669 B1 * 6/2003 Chiu 315/388


* cited by examiner

Primary Examiner-Richard Hjerpe Assistant Examiner—Jean Lesperance (74) Attorney, Agent, or Firm-Lisa K. Jorgenson; James H. Morris; Wolf, Greenfield & Sacks, P.C.

(57)ABSTRACT

A control circuit of a power supply delivering a supply current to an inductor connected in series with the horizontal deflection yoke of a cathode ray tube display, the inductor being the primary coil of a transformer operatively connected for delivering a rectified low-pass filtered biasing voltage to the anode of the display, the low-pass filtering having a first time constant corresponding to the duration of a plurality of pictures, the control circuit having feedback circuitry for generating a monitoring voltage substantially proportional to the biasing voltage and for controlling the supply current to keep the monitoring voltage equal to a reference voltage; and feedforward circuitry for measuring the cathode current and for adding to the monitoring voltage a compensation voltage corresponding to the cathode current, low-pass filtered with a second time constant corresponding to the duration of a small number of lines and high-pass filtered with the first time constant.

22 Claims, 2 Drawing Sheets



4

Accordingly, the present invention relates to a control circuit of a power supply delivering a supply current to an inductor connected in series with the horizontal deflection yoke of a CRT display for displaying pictures comprised of successive lines, said inductor also being the primary coil of a low/high transformer operatively connected for delivering a rectified low-pass filtered biasing voltage to the anode of the display, said low-pass filtering having a first time constant corresponding to the display time of a plurality of pictures.

In particular, said control circuit comprises a feedback block generating a monitoring voltage substantially proportional to the biasing voltage of the anode and controlling the supply current so as to keep the monitoring voltage equal to a reference voltage; and a feedforward block for measuring the cathode current supplied to the cathode of the display tube and for adding to the monitoring voltage a compensation voltage corresponding to the cathode current, low-pass filtered with a second time constant corresponding to the display time of a small number of lines and high-pass filtered with said first time constant.

BRIEF DESCRIPTION OF THE DRAWINGS

The features and advantages of the present invention can 25 be more readily understood with reference to the following description and appended claims when taken in conjunction with the accompanying drawings wherein:

FIG. 1 is a schematic view of a prior art display control apparatus:

FIG. 2 is a schematic view of a first embodiment of a display control apparatus in accordance with the present invention;

FIG. 3 illustrates an exemplary operation of the display control apparatus illustrated in FIG. 2; and

FIG. 4 is a partial, schematic view of a feedforward block in accordance with a preferred embodiment of the present invention.

DETAILED DESCRIPTION

FIG. 2 illustrates a schematic view of a first embodiment of an exemplary control apparatus according to the present invention of a CRT display 2 having an anode 4 and a cathode 6. The same reference numbers designate the same elements in FIG. 1 and 2. Only the elements that are necessary to the understanding of the invention have been illustrated. The control apparatus is generally comprised of a horizontal yoke control unit, an anode biasing unit, a power supply 21 and a control circuit 38 comprising a 50 feedback block 39 operatively connected as described in relation with FIG. 1.

According to the invention, the control circuit 38 comprises, in addition to the elements disclosed in connection with FIG. 1, a feedforward block 50 comprising a measuring 55 unit 52, capacitors 54 and 56, and resistors 58 and 60. Measuring unit 52 senses the cathode current of the CRT, and provides a corresponding voltage Vc. Voltage Vc is supplied to a first end of capacitor 54. The second end of capacitor 54 is connected through resistor 58 to the ground. 60 Capacitor 54 and resistor 58 form a high-pass filter 62. The second end of capacitor 54, corresponding to the output of filter 62 is connected, through resistor 60 and coupling capacitor 56 in series, to the inverting input of amplifier 48.

According to a first embodiment of the invention, unit 52 65 is comprised of a driving transistor 64 having its emitter connected to the cathode 6, its collector connected to the

ground through a sensing resistor 66, and its base operatively connected to receive a video signal. A capacitor 68 is connected in parallel with resistor 66. A buffer 70 is preferably connected between the collector of transistor 64 and the output of unit 52.

The buffer 70 of the feedforward block delivers to filter 62 a voltage Vc corresponding to the cathode current flowing through resistor 66, filtered by the parallel connection of resistor 66 and capacitor 68. Preferably, the low-pass filter 66-68 is chosen to introduce a time constant of a few lines, i.e. 0.1 ms, so as to smooth the cathode signal.

In filter 62, capacitor 54 and resistor 58 are chosen so as to filter the voltage signal Vc provided by buffer 70 with a time constant RC substantially equal to the time constant of filter 32 so as not to take into account slow variations of the smoothed cathode signal and to give the filtered voltage an appropriate time constant, as explained below. The voltage supplied by filter 62 through the coupling capacitor is integrated by the amplifier 48, configured as an integrator by capacitor 49. Resistor 60 provides for tuning the compensation voltage.

The successive display of a dark zone and a bright zone on the screen corresponds to a step increase of the cathode current supplied to cathode 6, which corresponds to a step increase ΔV of the voltage across resistor 66. In response to the step increase ΔV , filter 62 delivers a filtered compensation voltage Vf= ΔV .e^(-uRC), which after integration gives a correction voltage Vcor proportional to ΔV .RC.(1-e^(-uRC)). The inventor has shown that such a correction voltage, added to the usual control voltage provided by the feedback block, compensates the step increase of the cathode current. A reciprocal correction is caused when a dark zone is displayed after a bright zone on the screen.

FIG. 3 illustrates exemplary variations of voltage V66 across resistor 66, and of the corresponding voltage Vc supplied by buffer 70, filtered voltage Vf and correction voltage Vcor, during an exemplary operation of the display of FIG. 2. The shape of the curves is only intended to be illustrative.

Initially, voltage V66 corresponds to the display of a dark picture and remains at a low value, while comprising voltage peaks shorter than the display time of a small number of lines. The variations of voltage Vc corresponds to the variations of current Icat, smoothed by filter 66, 68. As long as Vc is constant, Vf remains null. The variations of voltage Vc, slow, are suppressed by filter 62 and voltage Vf is constant. Correction voltage Vcor is constant.

a horizontal yoke control unit, an anode biasing unit, a power supply 21 and a control circuit 38 comprising a feedback block 39 operatively connected as described in relation with FIG. 1.

According to the invention, the control circuit 38 comprises, in addition to the elements disclosed in connection with FIG. 1, a feedforward block 50 comprising a measuring unit 52, capacitors 54 and 56, and resistors 58 and 60.

Measuring unit 52 senses the cathode current of the CRT, and provides a corresponding voltage Vc. Voltage Vc is

At a time t1 is illustrated a reciprocal correction corresponding to a step reduction of voltage V66, when a dark zone is displayed above a bright zone.

Due to the control circuit according to the invention, the transformer delivers to the horizontal deviation yoke of the display a substantially constant power through its primary coil, while the power delivered to the biasing unit follows the variations of the cathode current, hare eliminating dynamic breathing.

2 2007

PTO/SB/44 (07-07) Approved for use through 07/31/2007. OMB 0651-0033
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

Page _1_ of _1

PATENT NO.

7,248,233

APPLICATION NO. :

10/701,151

ISSUE DATE

July 24, 2007

INVENTOR(S)

Jean-Michel Moreau

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, item (30) should read:

Jul. 1, 2003 (EP)03300045

Col. 4, line 48 should read:

At a time t0, voltage V66 follows a step increase ΔV